

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1-43 (Canceled)

44. (Currently Amended) A low-viscosity polyfunctional isocyanate composition comprising at least one uretidinedione isocyanate dimer and at least one trimer having a biuret function, wherein said biuret function containing trimer represents at least 10% by weight based on the weight of the composition and the ratio of true dimer units ~~in the isocyanate functions~~ to the total composition is less than 15% on a mass/mass basis.

45. (Currently Amended) A low-viscosity polyfunctional isocyanate composition comprising at least one uretidinedione isocyanate dimer and at least one trimer having a biuret function, wherein said biuret function containing trimer represents at least 20% by weight based on the weight of the composition and the ratio of true dimer units ~~in the isocyanate functions~~ to the total composition is less than 15% on a mass/mass basis.

46. (Currently Amended) A composition comprising:
[[-]] (a) at least one polyisocyanate composition according to claim 45; and
[[-]] (b) a polyol.

47. (Currently Amended) A composition comprising:
[[-]] (a) at least one polyisocyanate composition according to Claim 45; and
[[-]] (b) an acrylate polyol which satisfies the following conditions for a dry extract:
[[-]] (i) Mw (weight-average molecular weight) not greater than 10,000;
[[-]] (ii) Mn (number-average molecular weight) of not greater than 5000;

- [[-]] (iii) Mw/Mn (dispersity ratio) of not greater than 5; and
- [[-]] (iv) number of OHs/molecule of greater than or equal to 2.

48. (Currently Amended) A composition comprising:

- [[-]] (a) at least one polyisocyanate composition according to Claim 45; and
- [[-]] (b) a polyester polyol having a viscosity of not greater than 10,000 mPa.s at 25 °C, and an Mw of between 250 and 8000.

49. (Currently Amended) A composition according to claim 46, ~~containing~~
further comprising a crosslinking catalyst, ~~which is optionally a latent catalyst.~~

50 and 51. (Cancelled)

52. (New) A composition according to claim 49 wherein the crosslinking catalyst is a latent catalyst.